



The Refrigeration Experts

Product specification



F302: 290kg Air Cooled Ice Cuber

28-114

Modular air cooled ice cuber - head only

About the product

Foster Ice Machines produce high quality ice, free from impurities.

Available to finance with our award-winning [interest-free credit](#) and [leasing](#)

Learn more about our [Drinks Service range](#)

Why choose this product

- Innovatively designed with new user-friendly electro-mechanical controls to ensure reliability
- Ice machine head only
- Hygienic food safe production of ice ensure ice can be enjoyed by consumer
- Provides 290kg per 24hrs of quality, clear ice.

Specification

Technical		Dimensions	
Refrigerant	R452a	Height (mm)	575
Electrical supply	220-240/50/1	Width (mm)	760
Fuse rating (A)	16	Depth (mm)	620
Current (A)	7.7	Gross weight (kg)	86
Power (W)	1400	Net weight (kg)	71
Refrigerant mass (g)	850		

Build		Energy	
Finish ext/int	S/S & S/S	Climate Class	5
Section configuration		AEC (kWh)	9198
System	Machine Unit	GWP	2141
		Energy consumption (kWh/24hr)	25.2

Footnotes

- A minimum clearance of 15cm (6") must be left at the sides of the machine for routing cooling air drawn into and exhausted out of the compartment to maintain a proper condensing operation
- Maximum ambient air temperature 40°C; maximum input water temperature 35°C
- 150mm gap required either side for airflow Water: 3/4" BSP
- Please remember to include appropriate collar size at the time of your ice machine purchase.
- Dimension specification refers to overall size of ice maker product including head, collar and bin.
- Drain: 20mm
- Ice cubed: 24 x 22 x 22mm
- Images gallery includes all configurable head and bin options

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.